RECORD OF TELEPHONIC INTERVIEW

On September 29, 2004, an interview was conducted with Primary Examiner Kenneth Wells. Both <u>Andoh, et al.</u> (U.S. 5,936,466) and <u>Alexander, et al.</u> (U.S. 5,936,469) were discussed with respect to the rejection of the Claims in the above-referenced Office Action, although the rejection in the above-referenced Office Action is based solely upon <u>Andoh</u>.

An Amendment is entered above, and the Primary Examiner agreed that the addition of the differential comparator to Claims 1 and 16 and the addition of the detecting a value of the differential data signal pair to Claim 10 would distinguish the invention from <u>Andoh</u>, overcoming the rejections of the above-referenced Office Action.

With respect to <u>Alexander</u>, the Primary Examiner indicated that Figure 4 of <u>Alexander</u> might anticipate the claims as amended, as transistors 58 and 82 of that Figure might be interpreted as a differential comparator in addition to the Examiner's construction of a singlential comparator from transistors 52, 80 and 54. Applicants disagreed and further agreed to provide analysis and argument demonstrating that the circuit of Figure 4 of <u>Andoh</u> is not capable of performing the functions recited in Claims 1 and 18.

REMARKS

AUS920010256US2-AMDB

11

Claims 1-18 are currently pending in the application. On the Office Action Summary sheet, Claims 1-18 are indicated as rejected, but Applicants presume that Claims 7, 15 and 18 are "objected to" as indicated in the Office Action and would be allowable if re-written in independent form.

1. Rejections under 35 U.S.C. §102(b)

The Primary Examiner has rejected Claims 1-6, 8-14 16 and 17 under 35 U.S.C. §102(b) as being anticipated by Andoh. Applicants respectfully disagree, but have Amended the Claims to more particularly point out features of the present invention. As pointed out in the prior Amendment filed on June 3, 2004, Claim 1 (and similarly Claim 16) recites a "single-ended comparator for comparing an analog value of said single-ended data signal with said reference value, and having an output representative of a digital binary state of said single-ended data signal, whereby said single-ended signal is detected in conformity with a common mode value of said differential signal pair." Also similarly, Claim 10 recites "comparing an analog value of said single-ended signal to said reference value, whereby a binary logic state of said single-ended signal is detected in conformity with analog values of both signals of said differential signal pair."

As pointed out in the Remarks submitted in the Amendment filed on June 3, 2004, Andoh does not teach comparing an analog value of

a single-ended signal to the common-mode value of a differential signal pair to detect a binary state of the single-ended data signal, as recited in Claims 1 and 16 and in the method of operation of which is recited in Claim 10.

The Examiner indicated in the Telephonic Interview documented above that a rejection under 35 U.S.C. §102 can be issued if a Prior Art structure is deemed "capable of performing the function(s)" recited in the rejected claims (as well as including all recited structural limitations). Applicants respectfully disagree, as support for a teaching or suggestion of functionality recited in the rejected Claims must be evident in the applied references. Otherwise, the analysis of a prior art structure under the above-stated test of whether or not the prior art structure is "capable of performing the functions(s)" amounts to the use of hindsight of the invention to bootstrap an analysis of the prior art. Such an analysis, if used as a standard for rejection, would render unpatentable otherwise novel and patentable uses for existing technology as well as novel applications of existing structures to unforeseen environments.

Further, the Primary Examiner has stated that the rejection under 35 U.S.C. §102(b) is supported by the principle that "all of the recited functional limitations of the claims will be inherent in the operation of Andoh et al's Fig. 1 circuitry *when a data input is applied to the gate terminal of FET11"* (italics added for

emphasis). Applicants respectfully disagree. As Andoh does not teach or suggest using the circuit of Figure 1 to receive a single-ended data signal and thereby detect a binary state in conformity with a received differential pair, the Primary Examiner has applied hindsight of the present invention to Andoh in order to cause the circuit of Andoh to perform the functions recited in Claim 1. Andoh teaches common mode compensated operational amplifiers, not interface circuits using comparators to perform data detection and further does not teach or suggest the use of a unique comparator configuration or circuit to detect the binary state of a single-ended data signal in conformity with the common-mode value of a differential data signal pair. Nor does Andoh suggest such an application of data signals to the inputs of the circuits taught by Andoh. Further, Andoh teaches away from the use of the circuit cited by the Examiner (feedback circuit 13 of Figure 1 of Andoh), as the terminals connected to that circuit are the outputs of the op-amp shown on the left-hand side of the diagram, and not digital signals provided over an interface.

However, applicants have included the differential comparator of Amended Claims 1 and 16 in accordance with the Amendment proposed in the Telephonic Interview described above. Previous Claim 7, which was found to be allowable by the Primary Examiner in the previous Office Action if re-written in independent form, included a differential comparator having a gain scaled in

relationship to the gain of a singlential comparator. In the Telephonic Interview, the Examiner indicated that inclusion of the differential comparator into the Claims would distinguish the invention over Andoh. Andoh, even as applied by the Primary Examiner, does not perform the recited functions of detecting the binary states of both the single-ended signal and the differential data signal pair, and does not structurally include both a circuit for detecting the binary state of the single ended data signal and a differential comparator for detecting the binary state of the differential data signal pair. As the differential data signal pair is read in the rejection by the Primary Examiner onto signals 6 and 7 of Figure 1 of Andoh, there is no differential comparator provided by Andoh for detecting a binary state of signals 6 and 7, which Applicants further point out are not data signals having a binary state at all, but are output signals of an op-amp providing analog voltages to compensation circuit 13.

Similarly, Claim 10 recites "comparing an analog value of said single-ended signal to said reference value, whereby a binary logic state of said single-ended signal is detected in conformity with analog values of both signals of said differential signal pair."

As pointed out above, Andoh does not teach or suggest detection of a data signal binary value at all and therefore does not anticipate the method of Claim 10. However, Applicants have included a further step of detecting the binary state of the

differential data signal pair in accordance with the amendment to Claim 1.

Therefore, for all of the reasons stated above, Applicants believe that all of the existing rejections under 35 U.S.C. §102(b) have been overcome.

2. Prospective Rejection under 35 U.S.C. §102(b)

The Primary Examiner has also indicated in the Office Action and in the Telephonic Interview documented above, that Alexander appears to anticipate at least independent Claims 1 and 18. Applicants respectfully disagree. For the same reasons stated above with respect to Andoh, Alexander does not teach a single-ended comparator and reference combiner as recited in Claim 1 or the comparing step recited in Claim 18, as the circuits disclosed in Andoh are likewise op-amps having a common mode compensation input and not detectors for detecting the binary state of a single-ended signal in conformity with a common-mode value of a differential signal pair. Similarly, an analysis of Alexander that applied such data signals would require the same hindsight as mentioned above with respect to Andoh.

However, even as prospectively applied by the Primary Examiner, the circuit of Figure 4 of Alexander does not perform the functions recited in independent Claims 1, 10 and 16.

Applicants point out that if the circuit of Figure 4 of

Alexander were to receive a single-ended data signal at terminal V_{cm} and a differential data signal pair across terminals 37 and 38, that output signals provided at the junction of the drains of transistor pairs 54, 80 and 56, 82 (or at the outputs of the op-amp) would not be representative of binary states of either the single-ended data signal or the differential data signal pair.

First, the single-ended signal would affect both outputs of the op-amp, and thus the sub-circuits on neither side of the Figure would detect the binary state of the differential pair, as the single-ended signal would change both outputs in accordance with its binary state.

Next, as transistors 52 and 80 (and similarly transistors 58 and 82) are not commonly connected at their drains, the function of the circuit of Figure 4 of Alexander is to amplify the *differential* voltage of the differential pair at the outputs, not to detect a single-ended input in conformity with the *common-mode* voltage of the differential data signal pair. So, referring to Figure 4 of Alexander, if V_{38} is decreased, V_o- increases, but if V_{37} is decreased, V_o- also decreases, resulting a in dependence on the difference between the differential inputs, as expected for a differential operational amplifier. In order for the circuit to provide detection of the single-ended input in conformity with a common-mode value of the differential inputs, the detection circuit would need to be symmetrical with respect to the differential

inputs, as the common mode voltage of the differential pair is the average voltage, which is symmetrical with respect to each signal. Each side of the circuit in Figure 4 of Alexander is asymmetrical with respect to the differential input pair and so, for example if V_{37} is set to 1 Volt and V_{38} is set to 3V, the resulting output of either side is not the same for a given V_{cm} as if V_{37} is set to 3 Volt and V_{38} is set to 1V - a requirement if the circuit is to act in conformity with the common mode voltage of the differential signal pair, which in both cases is 2V.

Terminal V_{cm} is described throughout the specification of Alexander as a terminal for setting the *output* common-mode voltage of the op-amp. (See e.g. Alexander col. 3 lines 38-40.) As such, it is also apparent from the description of Alexander that a signal injected into terminal V_{cm} will not be detected in conformity with the differential pair common-mode voltage, but rather will set the common mode output voltage of a signal representing the difference between the differential inputs. (See Alexander col. 6, lines 14-20 and lines 36-42). Therefore, the circuit of Figure 4 of Alexander does not perform the functions recited in independent Claims 1, 10 and 16.

Therefore, for all of the reasons stated above, applicants believe that Alexander does not anticipate or suggest the present invention as claimed.

3. Provisional double-patenting rejection

The Examiner has issued a provisional double-patenting rejection of Claims 1-18 under the claims of co-pending application 09/870,623. Applicants respectfully point out that Claims 1, 10 and 16 are claims to a comparison method and circuit rather than an interface and that the comparison circuit included in the interface of the above-cited application Claims is generic over the claimed embodiment of the present application, due to a Restriction requirement issued in the above-cited application.
Therefore, applicants believe that the provisional double-patenting rejection should be withdrawn.

Therefore, for all of the reasons stated above, applicants believe that all of the rejections and objections have been overcome.

CONCLUSION

In conclusion, Applicants respectfully submit that this Amendment, in view of the Remarks offered in conjunction therewith, are fully responsive to all aspects of the objections and rejections tendered by the Primary Examiner in the Office Action. Applicants respectfully submit that they have persuasively demonstrated that the above-identified Patent Application, including Claims 1-12 and 18-22 are in condition for allowance. Such action is earnestly solicited. Should a Notice of Allowance be issued, it is requested above that the Primary Examiner further allow previously withdrawn Claims 7-12, which depend from Claim 1 and should be found allowable if Claim 1 is allowed.

No fees should be incurred by this Amendment, but if there are any fees incurred by this Amendment, please deduct them from IBM Deposit Account NO. 09-0447.

Respectfully submitted,

Andrew M. Harris
Reg. No. 42,638
(706)-782-9683

Weiss, Moy & Harris, P.C.
4204 North Brown Ave.
Scottsdale, AZ 85251